

# THE UNIVERSITY OF IOWA DESIGN STANDARDS & PROCEDURES

2025 EDITION

PREFERMENT # 01

EFFECTIVE DATE: **October 16, 2025**

---

The information contained in this Preferment modifies, supplements, or replaces information contained in The University of Iowa Design Standards & Procedures.

---

APPLICABLE SECTION:  
**Appendices**

ATTACHMENT: Single User RR Baby


The attachments are to be used in place of page 623 in Appendix. All details are attached/contained in the documents.

---

APPLICABLE TO SECTION: **Appendices**

ITEM #1      Appendix. Replace Page 623 in University of Iowa Design Standards 2025 Edition with the attached pages.

**END OF PREFERMENT**



SIGNAGE SHALL ADHERE TO CURRENT  
ADA STANDARDS FOR ACCESSIBLE DESIGN

SIGN SHALL USE UPPERCASE SANS-SERIF  
ADA SPEC TACTILE NUMBER AND GRADE II  
BRAILLE FOR THE PERMANENT COMPONENT  
OF THE MESSAGE (ROOM TEXT AND ROOM NUMBER)

SIGN FACE SHALL BE MATTE

SIGNAGE DESIGN, MATERIAL, FINISH, SIZE, AND FONT  
ARE BUILDING SPECIFIC AND REQUIRE OWNER APPROVAL

\_\_\_\_\_

SIGN SHALL USE UPPERCASE  
SANS-SERIF ADA SPEC TACTILE  
NUMBER AND GRADE II BRAILLE  
FOR THE PERMANENT COMPONENT  
OF THE MESSAGE (ROOM TEXT AND  
ROOM NUMBER)

SIGNAGE DESIGN, MATERIAL, FINISH, SIZE, AND FONT ARE BUILDING SPECIFIC AND REQUIRE OWNER APPROVAL

123AB

SINGLE USER  
RESTROOM

Braille representation of the sign text.

[illegible][illegible]

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

7'


SIGNAGE SHALL ADHERE  
TO CURRENT ADA STANDARDS  
FOR ACCESSIBLE DESIGN

SIGN SHALL USE UPPERCASE  
SANS-SERIF ADA SPEC TACTILE  
NUMBER AND GRADE II BRAILLE  
FOR THE PERMANENT COMPONENT  
OF THE MESSAGE (ROOM TEXT AND  
ROOM NUMBER)

SIGN FACE SHALL BE MATTE

SIGNAGE DESIGN, MATERIAL,  
FINISH, SIZE, AND FONT ARE  
BUILDING SPECIFIC AND REQUIRE  
OWNER APPROVAL

# 123AB



# SINGLE USER RESTROOM

10"

.75"

.625"

.625"

.5"

4"

.5"

.75"

.75"

.375"

375"

.75"

\_\_\_\_\_

SIGN SHALL USE UPPERCASE SANS-SERIF  
ADA SPEC TACTILE NUMBER AND GRADE II  
BRAILLE FOR THE PERMANENT COMPONENT  
OF THE MESSAGE (ROOM TEXT AND ROOM NUMBER)

SIGNAGE DESIGN, MATERIAL, FINISH, SIZE, AND FONT  
ARE BUILDING SPECIFIC AND REQUIRE OWNER APPROVAL

123AB



SINGLE USER  
RESTROOM

♂ ♀

123AB



SINGLE USER  
RESTROOM

♂ ♀

123AB



SINGLE USER  
RESTROOM

♂ ♀

[illegible]

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"

.625"

.625"

.5"

**4"**

.5"

.75"

.75"

.375"

375"

.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"

.75"
.625"
.625"
.5"
<b>4"</b>
.5"
.75"
.75"
.375"
.375"
.75"